

The American chronic pain crisis and the media: about time to get it right?

Michael E Schatman

US Pain Foundation, Bellevue,
Washington/Middletown, Connecticut,
USA

On November 23, 2015, the venerable *Wall Street Journal* published an article entitled “New Help for Back Pain”.¹ In this article, the author wrote of “an innovative approach to help patients cope and heal called functional restoration”, suggesting that it helps avoid costly diagnostic tests, surgery and other expensive treatments, and the risks of problems potentially associated with opioid analgesics. While the author’s claims regarding interdisciplinary chronic pain management’s potential benefits are accurate, as is so often the case, the media’s inability to comprehend the “big picture” of the American crisis in pain medicine has resulted in yet another much-read yet highly biased and misinformative article that ultimately serves to exacerbate the difficulties with which our patients, and the system that they attempt to navigate, are faced.

The author, Ms Landro, refers to interdisciplinary programs as “innovative”. This is inaccurate and befuddling, as interdisciplinary chronic pain management programs have been in existence for over half a century.² In the 1970s, such programs were described as “medicine’s new growth industry”,³ with an estimated 1,000 such programs in the US around the turn of the millennium.⁴ Through empirical investigations and meta-analyses, these programs were found to not only be clinically effective in terms of functional restoration and relief of psychological symptoms, but cost-effective as well.⁵ On an anecdotal level, I witnessed the “miracles” that these programs performed, as I developed and ran an interdisciplinary pain program for 16 years.

Tragically, the profit-driven American health care insurance industry decided that these programs were “too expensive”, irrespective of their aforementioned empirically-established cost-efficiency. At first, insurers attempted to reduce their costs by “carving out” services from programs. A typical interdisciplinary program would include physician management, psychological services, nursing, physical and occupational therapy, biofeedback, and vocational counseling.⁶ Despite the great success of these treatment programs, the insurance industry arbitrarily began to exclude payment for certain services, clearly without an empirical basis for doing so. For example, the program described in the recent *Wall Street Journal* article,¹ according to the author, involves a “staff including a doctor, occupational and physical therapists, and a nurse practitioner”, with other crucial services not provided. Research by Gatchel et al⁷ has indicated that these “carve-out” programs obtain results significantly inferior to those obtained by comprehensive interdisciplinary programs. Thus, when the author reports that the cost of such a program is approximately US\$17,000, she is reporting on the cost of a truncated “carve-out” rather than a considerably more expensive and effec-

Correspondence: Michael E Schatman
US Pain Foundation, 1601 114th Avenue
SE, Suite 100
Bellevue, Washington 98004, USA
Email headdock@comcast.net

tive full comprehensive program. Interestingly, most of the research supporting the cost-efficiency of interdisciplinary chronic pain management was conducted prior to the days of “carve-outs”.⁸ Reducing costs by bastardizing services was not sufficient for the health insurance industry, however. In the early years of this millennium, insurers began to simply refuse to cover these programs altogether,^{9–13} choosing to follow the “business ethic” of cost-containment and profitability while denying any fiduciary obligation to their enrollees. Although the main “culprit” in the demise of interdisciplinary pain management in the US was the insurance industry, it has also been noted that the hospital industry should shoulder some of the blame; hospitals shut down their pain clinics not necessarily because they were losing money, but rather because they were generating insufficient profits.¹⁴

The tone of Ms Landro’s *Wall Street Journal* article¹ suggests that interdisciplinary programs are an “option” for patients with chronic back pain, when, in fact, access in most states is not a possibility. In a 2012 study on international perspectives on interdisciplinary chronic pain management,¹⁵ I noted that from over 1,000 programs in the US in 1999, the number of programs had dropped to approximately 90 (outside of the military and the Veterans’ Administration). Not surprisingly, results of the study indicated that while the number of interdisciplinary programs in the US has been decreasing precipitously, the number of treatment facilities in industrialized nations with National Health Services had increased dramatically during the prior decade. The same was true of the Veterans’ Administration and the military in the US, as these entities (like National Health Services) “own” their enrollees pain care for life and accordingly have chosen to follow the evidence basis and provide the most effective, cost-efficient, and compassionate possible treatment.

Unfortunately, Ms Landro’s article is not the only example of the American print media’s misinformation potentially causing harm to the already vulnerable population of patients with chronic pain. In a recent article in the *Journal of Pain Research*,¹⁶ my colleagues and I elucidated the detrimental impact of the media in our society’s “war on opioids” – which has essentially represented an attack on those who manufacture, prescribe, or rely upon opioid analgesics in order to manage their chronic pain. Our expression of concern regarding the deleterious impact of the media’s often biased and disingenuous behavior was certainly not the only one of its type expressed.^{17–20} Although negative stories regarding opioids in the print media have been empirically determined to affect physicians’ prescribing patterns,²¹ there is no evidence that negative print media characterizations

have had any impact on the real problem around opioids – ie, a lack of adequate risk mitigation practices among physicians. The media has happily published myriad stories regarding prescription opioid-related abuse, diversion, overdose, and deaths, yet is seemingly unwilling to write stories regarding the millions of Americans with chronic pain whose qualities of life are actually enhanced through their appropriate utilization of opioid analgesics. “If it bleeds, it leads” has clearly become media’s mantra regarding pain management, resulting in the desire to sell print trumping its broader societal responsibility to disseminate accurate, unbiased, and balanced information.

I grew up in the era of Woodward and Bernstein, when the media was composed of individuals who we considered heroes – ie, journalists willing to take personal risks to disseminate accurate and unbiased information that the American people deserved to understand. During the days of the Watergate scandal, the US was clearly facing great crisis. Today, with the Institute of Medicine report²² indicating that approximately 100 million Americans suffer from chronic pain, we are experiencing another type of crisis. Given the moral deterioration of pain medicine in our country,^{11,23,24} this crisis has only become amplified. Accordingly, is it not time for the media to step up to the plate, and consider writing legitimate stories that may actually help patients with pain – and assist those of us who are trying our best to aid them?

Disclosure

The author has no conflicts of interest in this work.

References

1. Landro L. New help for back pain. *Wall Street Journal*. 2015. Available from: http://www.wsj.com/articles/new-help-for-back-pain-1448311243?mod=trending_now_3. Accessed November 24, 2015.
2. Meldrum ML. Brief history of multidisciplinary management of chronic pain, 1900–2000. In: Schatman ME, Campbell A, editors. *Chronic Pain Management: Guidelines for Multidisciplinary Program Development*. New York: Informa Healthcare; 2007:1–13.
3. Leff DN. Management of chronic pain: medicine’s new growth industry. *Med World News*. October 18, 1976;54.
4. Anooshian J, Streltzer J, Goebert D. Effectiveness of a psychiatric pain clinic. *Psychosomatics*. 1999;40:226–232.
5. Turk DC, Swanson K. Efficacy and cost-effectiveness treatment for chronic pain: an analysis and evidenced-based synthesis. In: Schatman ME, Campbell A, editors. *Chronic Pain Management: Guidelines for Multidisciplinary Program Development*. New York: Informa Healthcare; 2007:15–38.
6. Stanos SP. Developing an interdisciplinary multidisciplinary chronic pain management program: nuts and bolts. In: Schatman ME, Campbell A, editors. *Chronic Pain Management: Guidelines for Multidisciplinary Program Development*. New York: Informa Healthcare; 2007:151–172.
7. Gatchel RJ, Kishino ND, Noe C. “Carving-out” services from multidisciplinary chronic pain management programs: negative impact on therapeutic efficacy. In: Schatman ME, Campbell A, editors. *Chronic Pain Management: Guidelines for Multidisciplinary Program Development*. New York: Informa Healthcare; 2007:39–48.

8. Turk DC, Okifuji A. Treatment of chronic pain patients: clinical outcomes, cost-effectiveness, and cost-benefits of multidisciplinary pain centers. *Crit Rev Phys Rehabil Med*. 1998;10:181–208.
9. Schatman ME. The demise of multidisciplinary pain management clinics? *Practical Pain Manage*. 2006;6:30–41.
10. Schatman ME. The demise of the multidisciplinary chronic pain management clinic: bioethical perspectives on providing optimal treatment when ethical principles collide. In: Schatman ME, editor. *Ethical Issues in Chronic Pain Management*. New York: Informa Healthcare; 2007:43–62.
11. Giordano J, Schatman ME. An ethical analysis of crisis in chronic pain care. Part 1. Facts, issues, and problems in pain medicine. *Pain Physician*. 2008;11:483–490.
12. Schatman ME. Interdisciplinary chronic pain management: perspectives on history, current status, and future viability. In: Ballantyne JC, Rathmell JP, Fishman SM, editors. *Bonica's Management of Pain*, 4th edition. Philadelphia: Lippincott, Williams & Wilkins; 2010:1523–1532.
13. Schatman ME. The role of the health insurance industry in perpetuating suboptimal pain management: ethical implications. *Pain Med*. 2011;12:415–426.
14. Loeser JD. Foreword. In: Schatman ME, Campbell A, editors. *Chronic Pain Management: Guidelines for Multidisciplinary Program Development*. New York: Informa Healthcare; 2007:iii–iv.
15. Schatman ME. Interdisciplinary chronic pain management: international perspectives. *Pain: Clin Updates*. 2012;20(7):1–5.
16. Atkinson TJ, Schatman ME, Fudin J. The damage done by the war on opioids: the pendulum has swung too far. *J Pain Res*. 2014;7:265–268.
17. Whelan E, Asbridge M, Haydt S. Representations of OxyContin in North American newspapers and medical journals. *Pain Res Manage*. 2011;16:252–258.
18. Pitts PJ. Who “lost” opioids? *J Commer Biotechnol*. 2014;20(3):3.
19. Schweighardt AE, Juba KM. Extended-release hydrocodone: the devil in disguise or just misunderstood? *Ann Pharmacother*. 2014;48:1362–1365.
20. Wilbers LE. She has a pain problem, not a pill problem: chronic pain management, stigma, and the family – an autoethnography. *Humanity Society*. 2015;39:86–111.
21. Borwein A, Kephart G, Whelan E, Asbridge M. Prescribing practices amid the OxyContin crisis: examining the effect of print media coverage on opioid prescribing among physicians. *J Pain*. 2013;14:1686–1693.
22. National Research Council. *Relieving Pain in America: A Blueprint for Transforming Prevention, Care, Education, and Research*. Washington, DC: The National Academies Press; 2011.
23. Giordano J, Schatman ME. A crisis in chronic pain care: an ethical analysis; Part 2. Proposed structure and function of an ethics of pain medicine. *Pain Physician*. 2008;11:589–595.
24. Giordano J, Schatman ME. A crisis in chronic pain care: an ethical analysis. Part 3: Toward an integrative, multi-disciplinary pain medicine built around the needs of the patient. *Pain Physician*. 2008;11:771–784.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Journal of Pain Research ‘Editorial’ section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Journal of Pain Research editors. While all reasonable steps have been taken to confirm the content of each Editorial, Dove Medical Press accepts no liability in respect of the content of any Editorial, nor is it responsible for the content and accuracy of any Editorial.

Journal of Pain Research

Publish your work in this journal

The Journal of Pain Research is an international, peer-reviewed, open access, online journal that welcomes laboratory and clinical findings in the fields of pain research and the prevention and management of pain. Original research, reviews, symposium reports, hypothesis formation and commentaries are all considered for publication.

Submit your manuscript here: <http://www.dovepress.com/journal-of-pain-research-journal>

Dovepress

The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.