

# Response to Article “*Kaempferia parviflora* Extracellular Vesicle Loaded with Clarithromycin for the Treatment of *Helicobacter pylori* Infection” [Letter]

Putu Yuliandari , Masri Sembiring Maha, Novaria Sari Dewi Panjaitan 

Center for Biomedical Research, Research Organization for Health, National Research and Innovation Agency (BRIN), Cibinong Science Center, Bogor, WJ, Indonesia

Correspondence: Novaria Sari Dewi Panjaitan, Center for Biomedical Research, Research Organization for Health, National Research and Innovation Agency (BRIN), Jl. Raya Bogor No. 490, Cibinong – Bogor Km. 46, Bogor, WJ, Indonesia, Email nova014@brin.go.id

## Dear editor

We felt really encouraged to read and review the recent research report reported by Nemidkanam et al since the study provides interesting ideas in providing solutions for antimicrobial resistance in bacterial infection.<sup>1</sup> Clarithromycin is a second-generation broad-spectrum macrolide antibiotic and was generally used in the treatment of *Helicobacter pylori* infection.<sup>2</sup> In this study, clarithromycin was designed to be loaded into *Kaempferia parviflora* extracellular vesicles (KPEVs), while the drug delivery and final antibiotic activity of clarithromycin in KPEVs were examined and compared to the free form of clarithromycin in this in vitro study by using adenocarcinoma gastric cells.<sup>1</sup>

Since the growing number of cases of antimicrobial resistance (AMR) worldwide are still rapidly reported, the results of this study showed promising novelty as the effort to find a way out of this global health issue. KPEVs were shown and proven to be promising drug delivery vesicles. However, some effects shown by clarithromycin in KPEVs were only compared to the free-form clarithromycin in this study.<sup>1</sup> It could be better and convincing to compare to the KPEVs without clarithromycin as well. For example, the results of anti-inflammatory effects and cytotoxic effects of KPEVs alone on gastric cells were not shown in the results section of this study, even though a previous study of this research group had been showing the observation results of biochemical properties and bioactive compounds in KPEVs alone.<sup>3</sup>

Nanomedicine drug delivery systems can distribute antibiotics and target illness areas more effectively than traditional formulations, as reviewed elsewhere.<sup>4</sup> Specifically for site-targeted or certain cell type-targeted drug delivery purposes, the utilization of KPEVs as the vector to deliver the active compound should be further explored. Whether the use of KPEVs could also be utilized for the site-targeted nanomedicine delivery could be an interesting study to perform in this field. Overall, we believe that the novelties introduced and investigated in this work are promising and intriguing, especially since *Kaempferia parviflora* could be easily discovered and engineered for further use, such as studied also by a few previous studies.<sup>5,6</sup>

## Acknowledgments

Authors would like to acknowledge and convey gratitude to the research team of Nemidkanam et al for their valuable research report in this field.

## Disclosure

The authors report no conflicts of interest in this communication.

## References

1. Nemidkanam V, Banlunara W, Chaichanawongsaroj N. Kaempferia parviflora extracellular vesicle loaded with clarithromycin for the treatment of helicobacter pylori infection. *Int J Nanomed*. 2024;19:1967–1983. doi:10.2147/IJN.S444686
2. Hu Y, Zhu Y, Lu NH. Novel and effective therapeutic regimens for helicobacter pylori in an era of increasing antibiotic resistance. *Front Cell Infect Microbiol*. 2017;7:1–20. doi:10.3389/fcimb.2017.00168
3. Nemidkanam V, Chaichanawongsaroj N. Characterizing Kaempferia parviflora extracellular vesicles, a nanomedicine candidate. *PLoS One*. 2022;17(11):1–16. doi:10.1371/journal.pone.0262884
4. ElerakyNE A, HassanSB O. Nanomedicine fight against antibacterial resistance: an overview of the recent pharmaceutical innovations. *Pharmaceutics*. 2020;12(2):1–51. doi:10.3390/pharmaceutics12020142
5. RangsimawongW W, Tonglairoum P, Tonglairoum P, et al. Development of microemulsions and microemulgels for enhancing transdermal delivery of kaempferia parviflora extract. *AAPS Pharm Sci Tech*. 2018;19(5):2058–2067. doi:10.1208/s12249-018-1003-6
6. KrongrawaW L, VollrathMK K, SaibuaS L. Fabrication, optimization, and characterization of antibacterial electrospun shellac fibers loaded with kaempferia parviflora extract. *Pharmaceutics*. 2023;15(1). doi:10.3390/pharmaceutics15010123

Dove Medical Press encourages responsible, free and frank academic debate. The content of the International Journal of Nanomedicine 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the International Journal of Nanomedicine editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

International Journal of Nanomedicine

Dovepress

### Publish your work in this journal

The International Journal of Nanomedicine is an international, peer-reviewed journal focusing on the application of nanotechnology in diagnostics, therapeutics, and drug delivery systems throughout the biomedical field. This journal is indexed on PubMed Central, MedLine, CAS, SciSearch®, Current Contents®/Clinical Medicine, Journal Citation Reports/Science Edition, EMBase, Scopus and the Elsevier Bibliographic databases. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/international-journal-of-nanomedicine-journal>

<https://doi.org/10.2147/IJN.S469158>