

An Assessment of Individual Preference for a Novel Capillary Blood Collection System [Corrigendum]

Pourafshar S, Parikh M, Abdallah B, Al Thubian N, Jacobson JW. *Patient Prefer Adherence*. 2024;18:531–541.

Page 532, Materials and Methods, Capillary Blood Collection section, lines 3 and 4, the text “and EDTA tubes (intended for hemoglobin and hematocrit [“H&H;” see below] testing)” should read “and H&H tubes (intended for hemoglobin and hematocrit testing)”.

Page 533, second bullet point, lines 1 and 2, the text “(FDA approved on 11/27/23)” should read “(FDA cleared on 11/27/23)”.

The authors apologize for these errors.

Publish your work in this journal

Patient Preference and Adherence is an international, peer-reviewed, open access journal that focusing on the growing importance of patient preference and adherence throughout the therapeutic continuum. Patient satisfaction, acceptability, quality of life, compliance, persistence and their role in developing new therapeutic modalities and compounds to optimize clinical outcomes for existing disease states are major areas of interest for the journal. This journal has been accepted for indexing on PubMed Central. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/patient-preference-and-adherence-journal>

<https://doi.org/10.2147/PPA.S482739>