

Associations of Thyroid Hormone Levels and Macrovascular Complications in Euthyroid Type 2 Diabetic Patients [Corrigendum]

Hu Y, Yan Z, Pan C. *Diabetes Metab Syndr Obes.* 2021;14:2683–2691.

The authors have advised Figure 2 on page 2689 is incorrect. Due to an error at the time of figure assembly Figure 1B and Figure 2B were inadvertently duplicated. The correct Figure 2 is as follows.




Figure 2 Prevalence ratio of macrovascular complications based on multivariate logistic regression on thyroid hormone levels within patients with abnormal HbA1c. (A) Adjusted for age and sex. (B) Adjusted for age, sex, duration of T2DM, SBP, DBP, BMI, HbA1c, TG, TC, HDL-C, LDL-C, and VLDL-C.

Diabetes, Metabolic Syndrome and Obesity is an international, peer-reviewed open-access journal committed to the rapid publication of the latest laboratory and clinical findings in the fields of diabetes, metabolic syndrome and obesity research. Original research, review, case reports, hypothesis formation, expert opinion and commentaries are all considered for publication. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/diabetes-metabolic-syndrome-and-obesity-journal>