

LETTER

Comment on Pain Management Strategies After Hepatectomy, a Narrative Review of Therapeutic Options [Letter]

Haihang Dong D, Yinqiang Zhang D

Department of Hepatology, Xiyuan Hospital of China Academy of Chinese Medical Sciences, Beijing, People's Republic of China

Correspondence: Yinqiang Zhang, Xiyuan Hospital of China Academy of Chinese Medical Sciences, No. 1, Xiyuan Playground, Haidian District, Beijing, People's Republic of China, Email zhyq992@163.com

Dear editor

We recently had the pleasure of reading an article titled "Construction of Pain Management Strategies After Hepatectomy: Evidence Summary and Delphi Study" published in the *Journal of Pain Research*. The study provides a comprehensive synthesis of existing evidence to identify optimal strategies for post-hepatectomy pain management, serving as a valuable resource for guiding clinical nursing practice. To further enhance the comprehensiveness and depth of this important research, we would like to offer some recommendations.

First, the selection of experts and revision of opinions using the Delphi method may compromise the authority and generalizability of post-hepatectomy pain management strategies. This study did not clearly specify expert sources from various regions and institutions, resulting in insufficient representation of diverse perspectives and practical experiences within the relevant field.² Among the 16 experts, 43.75% (7 experts) are from the nursing profession, which may not accurately reflect the actual distribution of professionals involved in managing post-hepatectomy pain in clinical settings. Although the study adopted a comprehensive and systematic approach, the imbalance in expert composition could lead to missing crucial information and insights, thereby diminishing research thoroughness When designing a Delphi study, researchers should strive to include diverse stakeholders to better capture the perspectives and needs of different groups.³ Moreover, cultural differences in pain perception, healthcare systems, and treatment approaches may limit the applicability of the findings beyond specific contexts.⁴ A more inclusive approach could enhance clinical decision-making, enrich humanistic care, and ensure balanced cost-effectiveness.

Furthermore, the article references non-pharmacological interventions such as music therapy and cognitive behavioral therapy but lacks a critical evaluation of their feasibility in resource-constrained settings. Given the growing preference among caregivers and patients for these interventions due to their minimal side effects and cost-effectiveness, a thorough examination of their scope and applicability is essential. For instance, acupuncture, a traditional practice in Chinese medicine, has gained considerable acceptance and demonstrated significant clinical efficacy in managing post-surgical pain. This modality could be incorporated into multimodal pain management strategies, potentially diminishing reliance on opioids and enhancing recovery for postoperative patients.⁵

In conclusion, this systematic evidence summary and Delphi study provide valuable insights into pain management strategies following hepatectomy. Nevertheless, the methodology for expert selection did not sufficiently address potential biases. Future research should inclusively and equitably engage patients, nurses, anesthesiologists, as well as liver disease and surgical specialists from diverse economic and cultural backgrounds to reduce bias and enhance fairness. The aim is to achieve a comprehensive consensus on post-hepatectomy pain management. Additionally, greater emphasis should be placed on summarizing and developing effective non-pharmacological therapies that are adaptable to various healthcare systems. By addressing these issues, systematic evidence reviews can more effectively lay the

foundation for evidence-based clinical guidelines and provide guidance, ultimately improving patient outcomes and advancing the field toward optimized practices.

Acknowledgments

We thank all the participants for their contribution to this study.

Funding

This work was supported by the Xiyuan Hospital of the Chinese Academy of Chinese Medical Sciences (project number: XYZX0201-23).

Disclosure

The authors report no conflicts of interest in this communication.

References

- 1. Wang Y, Song X, Wang S, et al. Construction of pain management strategies after hepatectomy: evidence summary and delphi study. J Pain Res. 2024;17:4541-4559. doi:10.2147/JPR.S494243
- 2. Khodyakov D, Chen C. Response changes in delphi processes: why is it important to provide high-quality feedback to delphi participants? J Clin Epidemiol. 2020;125:160-161. doi:10.1016/j.jclinepi.2020.04.029
- 3. Lavery JV. Building an evidence base for stakeholder engagement. Science. 2018;361(6402):554-556. doi:10.1126/science.aat8429
- 4. Choinière M, Peng P, Gilron I, et al. Accessing care in multidisciplinary pain treatment facilities continues to be a challenge in Canada. Reg Anesth Pain Med. 2020;45(12):943-948. doi:10.1136/rapm-2020-101935
- 5. Huang Q, Wang Y, Wang X, et al. Efficacy and safety of snap needles in the treatment of postoperative hemorrhoidal pain: a systematic review and meta-analysis. J Pain Res. 2024;17:2015-2028. doi:10.2147/JPR.S464176

Dove Medical Press encourages responsible, free and frank academic debate. The contentTxt of the Journal of Pain Research (letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Journal of Pain Research editors. While all reasonable steps have been taken to confirm the contentTxt of each letter, Dove Medical Press accepts no liability in respect of the contentTxt of any letter, nor is it responsible for the contentTxt and accuracy of any letter to the editor.

Journal of Pain Research

Publish your work in this journal

Dovepress Taylor & Francis Group

The Journal of Pain Research is an international, peer reviewed, open access, online journal that welcomes laboratory and clinical findings in the fields of pain research and the prevention and management of pain. Original research, reviews, symposium reports, hypothesis formation and commentaries are all considered for publication. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit http://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: https://www.dovepress.com/journal-of-pain-research-journal

